

## ACTIVITY RISK ASSESSMENT FORM

Page 1 of 1

<b>1. Area/location: Cave simulator</b>				<b>2. Date of assessment/review: June 2023/ June 2026</b>			
<b>3. Assessment carried out by (names): Arnaud THERIN</b>							
<b>4. Task/activity: Area Assessment</b>				<b>5. Review Applicable Codes</b>			
<b>6. Number of persons exposed (and are there any special risk groups?) All</b>							
<b>7. Significant Hazards</b>	<b>8. Initial Risk Evaluation</b>			<b>9. Controls – existing &amp; further required, including addressing any special risk groups</b>	<b>10. Remaining Risk Evaluation</b>		
	Likelihood	Severity	Risk		Likelihood	Severity	Risk
<b>Over crowding</b>	Likely	Harmful	Intolerable	The cave simulator will be manned at all times, and the numbers restricted to prevent overcrowding, only 2/3 people in at any one time	Unlikely	Slightly Harmful	Acceptable
<b>Animals inside cave</b>	Likely	medium		At start of session open all doors and peer in to see if any animals are present tap on side walls if anything is present. If animal present stop activity and move everyone away from activity whilst animal moves out.	unlikely	Slightly Harmful	Acceptable
<b>Collapse of roof due to overloading</b>	likely	Harmful	Intolerable	During activity no one to be stood on activity roof. Only individuals using escae hatch to move over roof	Unlikely	none	Acceptable
<b>Use of cave simulator outside activity booked activity period</b>	Likely	Harmful	Intolerable	Cave simulator area to be ut of bounds when not in use with leader supervision. Close all doors when not using cave simulator and lock them when not in use.	Unlikely	None	Acceptable
<b>11. Are the combined remaining risks alarp so that work can proceed?</b>					<b>Yes</b> ✓	<b>No</b>	
<b>12. Safe Systems of Work in this Area – provide details/reference.</b>							
<b>13. Is further RA required under any specific legislation (e.g. COSHH, Manual Handling)?</b>				<b>No</b>			
<b>14. PPE</b>				<b>None required</b>			
<b>15. Any further comments</b>							
<b>16. Signatures</b>							