

ACTIVITY RISK ASSESSMENT FORM

Page 1 of 1

1. Area/location: Cave simulator				2. Date of assessment/review: March 2026/ March 2029			
3. Assessment carried out by (names): Phil Holland							
4. Task/activity: Area Assessment				5. Review Applicable Codes			
6. Number of persons exposed (and are there any special risk groups?) All							
7. Significant Hazards	8. Initial Risk Evaluation			9. Controls – existing & further required, including addressing any special risk groups	10. Remaining Risk Evaluation		
	Likelihood	Severity	Risk		Likelihood	Severity	Risk
Over crowding	Likely	Harmful	Intolerable	The cave simulator will be manned at all times, and the numbers restricted to prevent overcrowding, only 2/3 people in at any one time	Unlikely	Slightly Harmful	Acceptable
Animals inside cave	Likely	Medium		At start of session open all doors and peer in to see if any animals are present tap on side walls if anything is present. If animal present stop activity and move everyone away from activity whilst animal moves out.	Unlikely	Slightly Harmful	Acceptable
Collapse of roof due to overloading	Likely	Harmful	Intolerable	During activity no one to be stood on activity roof. Only individuals using escape hatch to move over roof	Unlikely	None	Acceptable
Use of cave simulator outside activity booked activity period	Likely	Harmful	Intolerable	Cave simulator area to be out of bounds when not in use with leader supervision. Close all doors when not using cave simulator and lock them when not in use.	Unlikely	None	Acceptable
11. Are the combined remaining risks ALARP so that work can proceed?						Yes	
12. Safe Systems of Work in this Area – provide details/reference.							
13. Is further RA required under any specific legislation (e.g. COSHH, Manual Handling)?				No			
14. PPE				None required			
15. Any further comments							
16. Signatures							